

## Model 216-D Vibration Analyzer/Balancer

### Features:

Model 216-D Portable Vibration Analyzer/Balancer is a combination vibration analyzer and balancing instrument for field and shop use. The unit is powered by either the 12 VDC rechargeable battery or by 115 VAC shop power. Operators can use the 216-D to troubleshoot vibration problems at remote sites or provide on-site single- and two-plane dynamic balancing services for fans, grinding wheels, spindles, crushers, pumps and other rotating machinery.

### Model 216-D Kit#1 Includes:

Model 216-D Analyzer/Balancer  
Strobe Light and Strobe Light Cable  
Model 158 Pickup and Pickup Cable  
Model 055 Magnetic Base Clamp  
Model 051 Probe Tip (7")  
Model 036 Carrying Case  
Manual and Calibration Certificate  
"B" Book Guide to Single Plane Balancing  
Vibration Severity Wallet Card

### Specifications:

#### AMPLITUDE RANGE:

English: 0.03, 0.1, 0.3, 1, 3, 10, 30, 100 mils (peak-to-peak) Displacement, in/sec (peak) Velocity

#### SENSITIVITY:

Displacement: 0.001 mil (0.000001 inch)  
Velocity: 0.001 inch/sec

ACCURACY: 5% of Full Scale

#### FREQUENCY

RANGE: 200 to +200,000 rpm (3.3 to +3333 Hz)



DISPLAYS: Amplitude Meter (Analog) 2 Scales:  
0 to 10 Full Scale Top  
0 to 3 Full Scale Bottom  
RPM Meter 4-digit LCD

POWER: 115 or 230 VAC, 50/60 Hz  
Internal Battery 12 VDC

#### TEMPERATURE

RANGE: 32° to 122°F (0° to 50°C)

ENVIRONMENTAL: Relative humidity 0-95% non-condensing

#### VIBRATION

INPUTS Two (for Model 158 pickup)

DIMENSIONS 11 3/4" x 6 3/4" x 9 1/4"  
(30 x 17 x 24 cm)

#### WEIGHT

12 lbs (5 kg)

Unit, accessories & case

#### ACCESSORIES

Model 295 Strobe Light


Model 158 Pickup

Magnetic Pickup Base

Probe Tip

Cables

Carrying Case



BALMAC INC.  
8205 Estates Pkwy, Ste N  
Plain City, OH 43064-8080 USA

Telephone: 614-873-8222  
Email: sales@balmacinc.com

[balmacinc.com](http://balmacinc.com)